

In 2022, June Huh was awarded the Fields medal, which is the highest prize in Mathematics.When he was younger, he was also a poet. He did not win any medals in the International Mathematics

Olympiads. He dropped out of college.

Based only on the above information, which one of the following statements can be logically inferred with certainty?


- (A) Every Fields medalist has won a medal in an International Mathematics Olympiad.
- (B) Everyone who has dropped out of college has won the Fields medal.
- (C) All Fields medalists are part-time poets.
- (D) Some Fields medalists have dropped out of college.

Answer: (D)

GATEFORUM

5. A line of symmetry is defined as a line that divides a figure into two parts in a way such that each part is a mirror image of the other part about that line.

The given figure consists of 16 unit squares arranged as shown. In addition to the three black squares, what is the minimum number of squares that must be coloured black, such that both PQ and MN form lines of symmetry? (The figure is representative)





|TF-GATE-2023|

Q. No. 6-10 Carry Two Marks Each

- 6. Human beings are one among many creatures that inhabit an imagined world. In this imagined world, some creatures are cruel. If in this imagined world, it is given that the statement "Some human beings are not cruel creatures" is FALSE, then which of the following set of statement(s) can be logically inferred with certainty?
 - (i) All human beings are cruel creatures.
 - (ii) Some human beings are cruel creatures.
 - (iii) Some creatures that are cruel are human beings.
 - (iv) No human beings are cruel creatures.
 - (A) only (i)
 - (C) only (i) and (ii)

- (B) only (iii) and (iv)
- (D) (i), (ii) and (iii)

Answer: (D)

7. To construct a wall, sand and cement are mixed in the ratio of 3:1. The cost of sand and that of cement are in the ratio of 1:2.

If the total cost of sand and cement to construct the wall is 1000 rupees, then what is the cost (in rupees) of cement used?

(A)	400	(B) 600	(C) 800	(D) 200)
Answer:	(A)				


8. The World Bank has declared that it does not plan to offer new financing to Sri Lanka, which is battling its worst economic crisis in decades, until the country has an adequate macroeconomic policy framework in place. In a statement, the World Bank said Sri Lanka needed to adopt structural reforms that focus on economic stabilisation and tackle the root causes of its crisis. The latter has starved it of foreign exchange and led to shortages of food, fuel, and medicines. The bank is repurposing resources under existing loans to help alleviate shortages of essential items such as medicine, cooking gas, fertiliser, meals for children, and cash for vulnerable households.


Based only on the above passage, which one of the following statements can be inferred with certainty?

- (A) According to the World Bank, the root cause of Sri Lanka's economic crisis is that it does not have enough foreign exchange.
- (B) The World Bank has stated that it will advise the Sri Lankan government about how to tackle the root causes of its economic crisis.

C	GATEFORUM Engineering Success	TF-	GATE-2023	www.gateforumonli	ine.com
	(C) According to framework.	o the World Bank, Sri	Lanka does not yet ha	ive an adequate macroeconom	ic policy
		Bank has stated that it v and medicines.	vill provide Sri Lanka v	vith additional funds for essent	ials such
Ansv	ver: (C)				
9.	The coefficient of	\mathbf{x}^4 in the polynomial	$(x-1)^3 (x-2)^3$ is equal	to	
	(A) 33	(B) -3	(C) 30	(C) 21	
Ansv	ver: (A)				
				1000	
10.				letely cover by repeating) a fl spaces in between them? The	-
	-	•	e not allowed to overlap	-	
	(A) circle		(B) regular of	ctagon	
	(C) regular penta	gon	(D) rhombus		
Ansv	ver: (D)				
	© All rights reserved by Thir	nkcell Learning Solutions Put 1 to No.n	art of this booklet may be reproduced a	r utilized in any form without the written permission	
		intern Lourning Coldions - Vi. Ed. NO p			

GATEFORUM **|TF-GATE-2023|** www.gateforumonline.com **TEXTILE ENGINEERING AND FIBRE SCIENCE Q. No. 11–35 Carry One Mark Each** 11. The value of x for which the inverse of the following matrix does not exist is 1 3 0 2 x 4 -1 0 2 (C) 10 (D) 12 (A) 0 (B) 1 Answer: (D) The value of y for which the following limit exists is 12. $\lim_{x \to 1} \frac{2x^2 - yx - x + 3}{3x^2 - 5x + 2}$ (B) 3 (A) 2 (C) 4 (D) 5 Answer: (C) 13. The probability of the standard normal variable taking values between 0 and 1 is 0.3413, between 0 and 2 is 0.4772, and between 0 and 3 is 0.4987. The average of marks in an examination is 68 and the standard deviation is 10. The percentage of examinees getting less than 48 marks is (C) 47.72 (D) 52.78 (B) 10.31 (A) 2.28 Answer: (A) 14. The amide linkage is NOT present in (C) Lyocell (D) Nylon 66 (A) Wool (B) Aramid Answer: (C) _____ 15. In the amorphous phase, polymer chains prefer to be in a random coil conformation to (A) Maximize entropy (B) Maximize enthalpy (C) Minimize entropy (D) Minimize enthalpy Answer: (A) _____





21.					
	-	on fibre fineness (micronaire) by air flo than specified. The reading of micronaire			
	(A) Higher for any fibre finenes	s (B) Lower for any fib.	re fineness		
	(C) Lower for only coarser fibr	es (D) Lower for only fir	ner fibres		
Answ	er: (B)				
22 <mark>.</mark>	Amongst the following, hydroly	ic desizing agents attack starch at			
	(A) α -1, 4 glucosidic linkage	(B) Six membered rin	g		
	(C) Hydroxyl group	(D) Carboxyl group			
Answ	er: (A)				
23.	In resist style of printing, the preferred arrangement for dyeing is				
	(A) Kiss roll applicator				
	(B) Nip padding				
	(C) Immersion padding with ve	rtical roller arrangement			
	(D) Immersion padding with ho	rizontal roller arrangement			
Answ	er: (B)				
24 <mark>.</mark>	If twist factor is same for a set o	f cotton yarns, then the yarns have same			
	(A) Linear density	(B) Turns per metre			
	(C) Packing density	(D) Angle of twist of s	surface fibres		
Answ	er: (C, D)				
25.	Copolymers are present in				
	(A) Nylon 6 fibre	(B) Nylon 66 fibre			
	(C) Acrylic fibre	(D) PET fibre			
Answe	-				

G	CATEFORUM Engineering Success	TF-GATE-2023	www.gateforumonline.com
26.	Amongst the following weft kr	itted structures, double jersey struct	ture(s) is/are
	(A) Rib	(B) Interlock	
	(C) Single cross tuck	(D) Eight lock	
Answ	ver: (A, B, D)		
27.	For the same turns per unit len	gth, as the yarn becomes coarser	
27.	(A) Twist angle decreases	(B) Twist angle	e increases
	(C) Twist multiplier decreases		
Answ			ipiter mercuses
28.	In flame retardant finishing of	cotton fabric, the correct statement(s	s) is/are
			fibre at a temperature above the fibr
	pyrolysis temperature		•
	(B) The finishing material for pyrolysis temperature	rms an insulating layer around the f	fibre at a temperature below the fibr
	(C) The finishing material cro	sslinks cellulose and alters the pyrol	lysis route
	(D) The finishing material deb	nydrates the cellulose	
Answ	v <mark>er: (B, C, D</mark>)		
29 <mark>.</mark>	•	e e e e e e e e e e e e e e e e e e e	o find an approximate solution of th
			between the actual and approximat
	solutions (rounded off to 2 dec	imal places) is	
Answ	ver: (0.05 to 0.07)		·····
30.	-		ng the trapezoidal rule with a step siz
	of one, (in integer) is	·	

Engineering Success

|TF-GATE-2023|

www.gateforumonline.com

31. A PET sample with 40 % crystallinity shows only a melting endotherm in the first heating cycle of DSC with a melting enthalpy of 50 J/g. The degree of crystallinity (%) of another PET sample which also shows only a melting endotherm but with a melting enthalpy of 80 J/g is (in integer) _____.

Answer: (64 to 64)

32. If the twist multiplier in the indirect system is 4.8 tpi/Ne0.5, then the twist factor in the direct system (tpm tex0.5) (rounded off to 2 decimal places) is ______

Answer: (4591.00 to 4593.00)

33. A plain woven fabric with 20 ends per cm and 30 picks per cm is prepared with 30 tex warp yarns and 25 tex weft yarns. Neglecting yarn crimp, the areal density (g/m2) of the fabric (in integer) is _____.

Answer: (134 to 136)

34. A ring spun yarn with mean linear density of 32 tex is produced from 2 denier polyester staple fibre. If the standard deviation of the yarn linear density is 3.2 tex, then the index of irregularity of the yarn (up to 1 decimal place) is ______.

Answer: (1.1 to 1.3)

35. A cotton fabric is to be dyed with 2 % shade (on the weight of fabric). If dye concentration is 0.4 g/L, then the material-to-liquor ratio is 1 : X. The value of X (in integer) is _____.

Answer: (50 to 50)

Q. No. 36-65 Carry Two Marks Each

36. Two eigenvalues of the following matrix are 3 and 6. The third eigenvalue is $\begin{bmatrix}
-2 & -4 & 2 \\
-2 & 1 & 2 \\
4 & 2 & 5
\end{bmatrix}$ (A) -5 (B) 1 (C) 1 (D) 4
Answer: (A)

C	GATEF(Engineering	DRUM Success	TF-GA1	`E-2023	www.gateforumonline.com
37.	conr	*	of one pole to a peg o	•	n a flat ground. A string needs to be nen on to the top of the other pole. The
	(A)	25	(B) 26	(C) 27	(D) 28
Ans	wer:	(B)			
38 <mark>.</mark>			statements regarding	Nylon 6 production	on from caprolactam using water as a
	catal P.	-	nyolving ring-opening	of caprolactam with	n water is an endothermic reaction
				*	n results in a higher molecular weight
	R.		ion is an irreversible re	eaction	
					n a lower molecular weight polymer
			n of TRUE statements		
	(A)	P and Q		(B) Q and R	
	(C)	R and S		(D) S and P	
Ans	wer:	(D)			
<mark>39</mark> .	Dete	ermine the correctne	ess or otherwise of the	following Assertion	a [a] and Reason [r].
	[a]:	In boiling water, p	olyester POY shows hi	gher shrinkage thar	polyester FDY
	[r]:	Molecular chain or	rientation is higher in p	olyester FDY than	in polyester POY

- (A) Both [a] and [r] are true and [r] is the correct reason for [a]
- (B) Both [a] and [r] are true but [r] is not the correct reason for [a]
- (C) Both [a] and [r] are false
- (D) [a] is true but [r] is false

Answer: (B)

40.	Consider the following activities on a carding machine						
	P. Lowering surface speed of feed roller						
	Q. Increasing rotat	tional speed of taker-in					
	R. Increasing linea	ar density of feed materia	վ				
	S. Use of shorter a	and finer fibres					
	The correct combination is	ation of the above activit	ies to obtain more numb	per of taker-in teeth acting per fibr			
	(A) P and Q	(B) Q and R	(C) R and S	(D) S and P			
Answ	ver: (A)						
41.	Consider the follow:	ing statements with regar	rd to t <mark>he timing diagram</mark> of	of a cotton combing machine.			
	P. In forward feed	l s <mark>ystem</mark> , feeding mostly	takes place when nippers	are closing			
	Q. Cylinder comb	starts combing after feed	ling ends				
	R. Detaching rolle	ers move backward during	g forward movement of 1	nipper assembly			
	S. Top comb is not combing when detaching rollers move forward						
	The correct combination	ation of TRUE statements	s is				
	(A) P and Q	(B) Q and R	(C) R and S	(D) S and P			
Answ	ver: (B)						
12.	Consider the follow	ing reasons of shuttle loo	m stoppage.				
42.	Consider the follow P. Breakage of warp	-	m stoppage.				
42.	P. Breakage of warp	-	m stoppage.				
42.	P. Breakage of warp Q. Entrapment of	yarns	m stoppage.				
42.	P. Breakage of warp Q. Entrapment of	o yarns shuttle inside the shed le out of the shed	m stoppage.				
42.	P. Breakage of warpQ. Entrapment ofR. Flying of shuttlS. Slackening of a	o yarns shuttle inside the shed le out of the shed					
42.	P. Breakage of warpQ. Entrapment ofR. Flying of shuttlS. Slackening of a	o yarns shuttle inside the shed le out of the shed a warp yarn		(D) S and P			

G	GATEFORUM Engineering Success TF-GATE-20	023 <u>wn</u>	w.gateforumonline.com
44.	Determine the correctness or otherwise of the follow	wing Assertion [a] and Reas	on [r]
	[a]: MgCl2 is used in the formulation of anti-crease	finishing of cotton fabric w	vith DMDHEU
	[r]: MgCl2 is an acidic salt and acts as a catalyst		
	(A) Both [a] and [r] are true and [r] is the correct re	eason for [a]	
	(B) Both [a] and [r] are true but [r] is not correct re	eason for [a]	
	(C) Both [a] and [r] false		
	(D) [a] is true but [r] is false		
Answ	swer: (A)		
45 <mark>.</mark>	Determine the correctness or otherwise of the follow	wing Assertion [a] and Reas	on [r]
	[a]: A partially scoured cotton fabric bleached with bleached with NaClO2	th H2O2 exhibits higher w	ater absorbancy than that
	[r]: Bleaching with H2O2 also facilitates scouring		
	(A) Both [a] and [r] are true and [r] is the correct re	eason for [a]	
	(B) Both [a] and [r] are true but [r] is not correct re	eason for [a]	
	(C) Both [a] and [r] false		
	(D) [a] is true but [r] is false		
Answ	swer: (A)		
46 <mark>.</mark>	In wet spinning of acrylic fibres		
	(A) Two-way mass transfer is involved		
	(B) One-way mass transfer is involved		
	(C) Coagulation bath having spinneret contains on	ly solvent	
	(D) Coagulation bath having spinneret contains bo	th solvent and non-solvent	
Answ	swer: (A, D)		
47 <mark>.</mark>	Drafting force in drawframe, when fibres are sliding	g, reduces with higher	
	(A) Draft (B) Roller setting	
	(C) Fibre length (D) Number of fibres in fee	d sliver
Answ	swer: (A, B)		

0			
8.	(A) Free length of warp yarn	oth-fell at the instant of beat-up (weaving resistance) depends o (B) Elastic modulus of loom-state fabric	
	(C) Elastic modulus of warp yarn	(D) Elastic modulus of weft yarn	
nsw	ver: (A B C)	•	
9.	With reference to KES-FB and FAST	systems, the same low stress mechanical property is measured b	
	(A) KES-FB1 and FAST 1	(B) KES-FB2 and FAST 2	
	(C) KES-FB3 and FAST 1	(D) KES-FB2 and FAST 3	
nsw	rer: (B, C)		
0.	With reference to the work factor (W) and work of rupture (WR) of two yarns with same breaking lo	
	and same breaking elongation, the co	ect statement(s) is/are	
	(A) The WR of yarn with $WF = 0.3$	more than that with $WF = 0.5$	
	(B) The WR of yarn with $WF = 0.3$	less than that with $WF = 0.5$	
	(C) If breakage takes place within the	ce within the Hooke's region, then the WF is more than 0.5	
	(D) If breakage takes place within the	Hooke's region, then the WF is equal to 0.5	
nsw			
1.		D4, H2 and I1, the correct statement(s) is/are	
	(A) D4 and A2 are the thickest fault		
		the thinnest fault respectively	
	(B) I1 and H2 are the longest fault a		
	(C) D4 and I1 are the thickest fault a	d the thinnest fault, respectively	
Answ	(C) D4 and I1 are the thickest fault a(D) B1 and H2 are the most objection		

GATEFORUM **|TF-GATE-2023|** www.gateforumonline.com 52. A sample of cotton fabric is dyed with vat dye at 60°C till equilibrium dye uptake is reached. Another sample of the same cotton fabric is dyed with the same dye at 90° C till equilibrium, keeping all other parameters same. Amongst the following, the correct statement(s) is/are (A) Dye exhaustion will be higher at 90° C as compared to that at 60° C (B) Dye exhaustion will be lower at 90° C as compared to that at 60° C (C) Levelness achieved at 90° C will be higher as compared to that at 60° C (D) Levelness achieved at 90°C will be lower as compared to that at 60°C **(B, C) Answer:** 53. In pigment printing of cotton fabric, the pigment (along with binder) can be fixed by using (A) Saturated steam at 102°C for 4 min (B) Dry heat at 140°C for 4 min (C) Dry heat at 60° C for 4 min (D) Super-heated steam at 180°C for 4 min Answer: **(B)** If $\frac{dy}{dx} = 8y^2x^3$ and y(2) = 1, then $\frac{1}{y(0)}$ (in integer) is _____. 54. Answer: (33 to 33) _____ If the values of x are 1, 2 and 3 and the corresponding values of y are 9, 8 and 10, respectively, then the 55. slope of the line of regression equation of y on x is (up to 1 decimal place) _____. (0.5 to 0.5) Answer: _____ 56. Three monodisperse Nylon 6 samples with molar masses 10000 g/mol, 30000 g/mol and 60000 g/mol are mixed in a proportion of 1:1:2 by number of chains. The polydispersity index of the resulting sample (rounded off to 2 decimal places) is _____. **Answer:** (1.27 to 1.29) _____



|TF-GATE-2023|

57. In melt spinning of a monofilament, a polymer is being extruded at a volumetric flow rate of $5 \times 10^{-5} \text{ m}^3/\text{s}$ through a spinneret of circular cross-section. If the take up velocity of the first winder is 100 m/s with a draw ratio of 50, then the diameter (mm) of the spinneret orifice (rounded off to 2 decimal places) is _____.

Answer: (5.60 to 5.70)

58. In a roving frame, the ratio of the diameter of the top (driver) cone-drum to the diameter of the bottom (driven) cone-drum is inversely proportional to bobbin diameter.

At an instant,

Top cone-drum diameter = 212 mm

Bottom cone-drum diameter = 108 mm

Bobbin diameter = 54 mm

When the bobbin diameter becomes 100 mm, the ratio of the top cone-drum diameter to the bottom cone-drum diameter (up to 2 decimal places) is _____.

Answer: (1.04 to 1.08)

59. In a ring frame, the speeds of traveller at 50 mm bobbin diameter (near the base of the cop) and at 25 mm bobbin diameter (near the tip of the cop) are 13500 rpm and 13400 rpm, respectively. The nominal twist (tpm) (rounded off to 2 decimal places) is ______.

Answer: (863.00 to 867.00)

60. A circular knitting machine of 26 inch diameter and 20 gauge with 120 feeders is running at 30 rpm to produce a plain knitted fabric by using 30 tex yarn. If the loop length is 3 mm, then the rate of production (kg/h) of the machine (rounded off to 1 decimal place) is ______.

Answer: (29.0 to 33.0)

61. A square jammed plain cotton woven fabric is produced from 10 Ne yarn of circular cross-section. Assuming density of yarn as 0.91 g/cm3, the number of threads per inch in the fabric (rounded off to the nearest integer) is ______.

Answer: (49 to 53)

GATEFORUM Engineering Success

|TF-GATE-2023|

62. In a guarded hot plate, the dimension of the square test plate is 15 cm × 15 cm. Keeping the temperatures of the test plate and the air at 35C and 20C, respectively, the power losses from the test plate with and without fabric specimen are 16 W and 40 W, respectively. The intrinsic transmittance [W/(m2 K)] of the fabric (rounded off to 2 decimal places) is _____.

Answer: (77.00 to 81.00)

63. A 36 Ne ring spun yarn is produced from 1.2 Ne roving. The total draft and the break draft of the roving frame are 12 and 1.2, respectively. The diameters of back bottom roller, middle bottom roller and front bottom roller of the roving frame are 28 mm, 25 mm and 28 mm, respectively. If the middle bottom roller of the roving frame is eccentric, then the wavelength (m) of the periodic fault in the yarn, neglecting twist contraction, (rounded off to 2 decimal places) is _____.

Answer: (23.00 to 24.00)

64. A 30 tex cotton yarn is made into a lea of 120 yards for determining CSP. If the lea strength is 500 N, then the CSP of the yarn (rounded off to the nearest integer) is ______.

Answer: (2190 to 2230)

65. In a continuous scouring operation, a desized fabric (with 40 % wet expression) is dipped into a saturator (alkali bath) before it enters a J-box for scouring. After saturation in the alkali bath, the wet expression increases to 100 %. The required alkali concentration (w/v) of the liquor present in the fabric exiting the saturator is 6 %. Considering no liquor interchange in the saturator, the alkali concentration (w/v) in percentage in the saturator (in integer) is _____.

Answer: (10 to 10)